

IES Bibliography

Compiled by Karen Tracey, Mark Wimbush, and Randy Watts
Graduate School of Oceanography
University of Rhode Island

Last Updated: June 19, 2008

- Andres, M., M. Wimbush, J.-H. Park, K.L. Tracey, D.R. Watts, W. Teague, D.A. Mitchell and H. Ichikawa, 2005, East China Sea Kuroshio 2002-2004 data report. *GSO Technical Report 2005-02*.
- Andres, M., M. Wimbush, J.-H. Park, K.-I. Chang, B.-H. Lim, D.R. Watts, H. Ichikawa and W.J. Teague, 2008, Observations of Kuroshio flow variations in the East China Sea, *J. Geophys. Res.*, *113*, C05013, doi:10.1029/2007JC004200.
- Ashley, J., R. Spencer, and J. Vassie, 1998, An inverted echo sounder for monitoring layer thickness in stratified oceans, *IEEE Oceans '98 Conf. Rec.*, *1*, pp. 248–252, IEEE/OES, Piscataway, New Jersey.
- Baker, D.J., 1981, Ocean instruments and experiment design. In *Evolution of Physical Oceanography*, B.A. Warren and C. Wunsch, eds., MIT Press, 396–433.
- Baker-Yeboah, S. 2008, Sea surface height variability and the structure of eddies in the South Atlantic Cape Basin, Ph.D. thesis, Graduate School of Oceanography, Univ. Rhode Island, 308 pp.
- Baringer, M.O., T. Kanzow, and et al, Rayner, D. (ed.), 2007, RV Ronald H. Brown Cruise RB0602 and RRS Discovery cruise D304, Rapid Mooring Cruise Report March and May 2006. Southampton, UK, National Oceanography Centre Southampton, 165 pp. *National Oceanography Centre Southampton Cruise Report*, *16*, <http://eprints.soton.ac.uk/48093/>
- Bianchi, A., and S.L. Garzoli, 1995, Variability and motion of the Brazil-Malvinas Front, *GeoActa*, *22*, 74–90.
- Bitterman, D.S., Jr., 1976, Inverted echo sounder instrument report. Woods

- Hole Oceanographic Institution Tech. Rept. No. 76–67, 47 pps.
- Bitterman, D.S., Jr., and D.R. Watts, 1979, The inverted echo sounder. *IEEE Oceans '79 Conf. Rec.*, 302–306.
- Book, J., 1998: Kuroshio variations off southwest Japan. MS thesis, 92 pp., Grad. Sch. of Oceanogr., Univ. of R. I., Narragansett.
- Book, J., K. L. Tracey, M. Wimbush, H. Ichikawa, S. Imawaki, H. Uchida, and H. Kinoshita, 1999: The Kuroshio region off southwest Japan ASUKA 1993–95 Inverted echo sounder data report. University of Rhode Island GSO Tech. Rept. No. 99–1, 28 pps.
- Book, J., M. Wimbush, S. Imawaki, H. Ichikawa, and H. Uchida, 2000, Inverted echo sounder observations of Kuroshio meanders south of Japan. *Western Boundary Currents Virtual Poster Session, November 2000*, <http://www.po.gso.uri.edu/wbc/book>.
- Book, J., M. Wimbush, S. Imawaki, H. Ichikawa, H. Uchida, and H. Kinoshita, 2002, Kuroshio temporal and spatial variations south of Japan, determined from inverted-echo-sounder measurements. *J. Geophys. Res.* 107(C9), 10.1029/2001JC000795.
- Book, J., M. Wimbush, S. Imawaki, H. Ichikawa, H. Uchida, and H. Kinoshita, 2002, Correction to 'Kuroshio temporal and spatial variations south of Japan, determined from inverted-echo-sounder measurements'. *J. Geophys. Res.* 107(C12), 234.1029/2002JC001678.
- Brown, W. S., 1998, Boundary flux measurements in the coastal ocean, IN *The Sea, 10*, eds. K.H. Brink and A.R. Robinson, John Wiley and sons, Inc, 399–418.
- Cartwright, D.E., 1982, The tidal signal in inverted echo-sounder records. *Deep-Sea Res.*, 29, 767–784.
- Cartwright, D.E., R. Spencer and J.M. Vassie, 1987, Pressure variations on the Atlantic equator. *J. Geophys. Res.*, 92, 725–741.
- Chang, K.-I., W.J. Teague, S.J. Lyu, H.T. Perkins, D.-K. Lee, D.R. Watts,

- Y.B. Kim, D.A. Mitchell, C.M. Lee, and K. Kim, 2004, Circulation and currents in the southwestern East/Japan Sea, *Progress in Oceanography*, 61, 105–156.
- Chaplin, G.F., 1990, Acoustic telemetry system for real-time monitoring of the Gulf Stream path. *IEEE Oceans '90 Conference Proceedings*, 46–51.
- Chaplin, G.F., and D.R. Watts, 1984, Inverted echo sounder development. *IEEE Oceans '84 Conf. Rec.*, 1, pp. 249–253, Int. of Electr. and Electr. Eng., New York.
- Chaplin, G.F., and D.R. Watts, 1984, Inverted echo sounder (IES) instrument report. University of Rhode Island GSO Tech. Rept. No. 84-4, 40 pps.
- Chiswell, S.M., 1994, Using an array of inverted echo sounders to measure dynamic height and geostrophic current in the North Pacific subtropical gyre. *J. Atmos. Oceanic Technol.*, 11, 1420–1424.
- Chiswell, S.M., 1994, Vertical structure of the baroclinic tides in the Central North Pacific subtropical gyre. *J. Phys. Oceanogr.*, 24, 2032–2039.
- Chiswell, S.M., 1996, Intra-annual oscillations at Station ALOHA, north of Oahu, Hawaii. *Deep-Sea Res. II*, 43, 305–319.
- Chiswell, S.M., 2002, Energy levels, phase, and amplitude modulation of the baroclinic tide off hawaii. *J. Phys. Oceanogr.* , 32 2640–2651.
- Chiswell, S.M., D.R. Watts and M. Wimbush, 1986, Using inverted echo sounders to measure dynamic height in the eastern equatorial Pacific during the 1982–83 El Niño. *Deep-Sea Res.*, 33, 981–991.
- Chiswell, S.M., D.R. Watts and M. Wimbush, 1987, Inverted echo sounder observations of variability in the eastern equatorial Pacific during the 1982–83 El Niño. *Deep-Sea Res.*, 34, 313–327.
- Chiswell, S.M., M. Wimbush and R. Lukas, 1988, Comparison of dynamic height measurements from an inverted echo sounder and an island tide gauge in the central Pacific. *J. Geophys. Res.* 93, 2277–2283.
- Chiswell, S., E. Firing, D. Karl, R. Lukas and C. Winn, 1990, Hawaii Ocean

- Time-series Program Data Report 1, 1988–1989. SOEST Tech. Rept. #1, School of Ocean and Earth Science and Technology, Univ. of Hawaii, Honolulu, HI, 269 pp.
- Chiswell, S.M., K.A. Donohue, and M. Wimbush, 1995, Variability in the Central Equatorial Pacific, 1985–1989. *J. Geophys. Res.*, *100*, 15,849–15,863.
- Cornillon, P., and D.R. Watts, 1987, Satellite thermal infrared and inverted echo sounder determinations of the Gulf Stream northern edge. *J. Atmos. Oceanic Technol.*, *4*, 712–723.
- Cronin, M., K.L. Tracey, and D.R. Watts, 1987, The Gulf Stream Dynamics Experiment: IES data report for the May 1985 to July 1986 deployment period. University of Rhode Island GSO Tech. Rept. No. 87–1, 142 pps.
- Cronin, M., E. Carter, and D.R. Watts, 1992, Prediction of the Gulf Stream path from upstream parameters. *J. Geophys. Res.*, *97*, 7257–7269.
- DelBalzo, D.R., L. Winsett, and E.R. Rike, 2003, Long-term, large-scale acoustic fluctuations in the Ulleung Basin. *J. Acoust. Soc. Am.*, *114*, 2375.
- Dickson, B., J. Meincke, I. Vassie, J. Jungclaus, and S. Østerhus, 1999, Possible predictability in overflow from the Denmark Strait, *Nature*, *397*, 243–246.
- Donohue, K.A., M. Wimbush, S.M. Chiswell, and R. Lukas, 1992, Line Islands array 1985–1989 data report: Dynamic height time series, University of Rhode Island GSO Tech. Rept. No. 92–5.
- Donohue, K.A., M. Wimbush, X. Zhu, S.M. Chiswell, R. Lukas, L. Miller, and H.E. Hurlburt, 1994, Five years' central Pacific sea level from *in situ* array, satellite altimeter, and numerical model. *Atmos.-Ocean*, *32*, 495–506.
- Donohue, K., P. Hamilton, K. Leaman, R. Leben, M. Prater, D.R. Watts, and E. Waddell, 2006, Exploratory study of deepwater currents in the Gulf of Mexico. *Volume I: Executive summary*. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2006-073. 86 pp.
- Donohue, K., P. Hamilton, K. Leaman, R. Leben, M. Prater, D.R. Watts, and

- E. Waddell, 2006, Exploratory study of deepwater currents in the Gulf of Mexico. *Volume II: Technical report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2006-074.* 430 pp.
- Duncombe Rae, C.M., S.L. Garzoli, and A.L. Gordon, 1996, The eddy field of the Southeast Atlantic Ocean: A statistical census from the Benguela sources and transports project. *J. Geophys. Res.*, *101*, 11,949–11,964.
- Enfield, D.B., M.P. Cornejo-Rodriguez, R.L. Smith, and P.A. Newberger, The equatorial source of propagating variability along the Peru coast during the 1982–1983 El Niño, 1987, *J. Geophys. Res.* *92*, 14335–14346.
- Farmer, D.M. and T.F. Duda, 2006, Internal and surface wave effects on inverted echo sounder measurements, *J. Acoust. Soc. Am.*, *119*(5 pt. 2), 3396.
- Fields, E., and D.R. Watts, 1990, The SYNOP experiment: inverted echo sounder data report for May 1988 to August 1989. University of Rhode Island GSO Tech. Rept. No. 90–2, 232 pps.
- Fields, E., and D.R. Watts, 1991, The SYNOP experiment: inverted echo sounder data report for June 1989 to September 1989. University of Rhode Island GSO Tech. Rept. No. 91–2, 255 pps.
- Fields, E., K. Tracey and D.R. Watts, 1991, Inverted echo sounder data processing report. University of Rhode Island GSO Tech. Rept. No. 91–3, 150 pps.
- Franco, A.S., J. Harari, and A.R. de Mesquita, 1985, Some results of analyses of inverted echo sounder records from the Atlantic equatorial region. *Bol. Inst. Oceanogr. Sao-Paulo*, *33*, 213–218.
- Friedlander, A.I., K.L. Tracey and D.R. Watts, 1986, The Gulf Stream dynamics experiment: inverted echo sounder data report for the July 1982 to April 1983 deployment period. University of Rhode Island GSO Tech. Rept. No. 86–5, 107 pps.
- Garzoli, S.L., 1984a, Modes of variability of the 1983 thermocline signal. *Geophys. Res. Lett.*, *11*, 741–744.

- Garzoli, S.L., 1984b, High-frequency oscillations and their correlation with the wind forcing during the first SEQUAL year. *Geophys. Res. Lett.*, *11*, 795–798.
- Garzoli, S.L., 1987, Forced oscillations on the equatorial Atlantic basin during the seasonal response of the equatorial Atlantic program (1983-1984). *J. Geophys. Res.*, *92*, 5089–5100.
- Garzoli, S.L., 1992, The Atlantic North Equatorial Countercurrent: Models and observations. *J. Geophys. Res.*, *97*, 17,931–17,946.
- Garzoli, S.L., 1993, Geostrophic velocity and transport variability in the Brazil-Malvinas confluence. *Deep-Sea Res. I*, *40*, 1379–1403.
- Garzoli, S.L., and A. Bianchi, 1987, Time-space variability of the local dynamics of the Malvinas-Brazil confluence as revealed by inverted echo sounders. *J. Geophys. Res.*, *92*, 1914–1922.
- Garzoli, S.L., and M.E. Clements, 1986, Indirect wind observations in the southwestern Atlantic. *J. Geophys. Res.*, *91*, 10551–10556.
- Garzoli, S.L., and C. Giulivi, 1994, What forces the variability of the southwestern Atlantic boundary currents? *Deep-Sea Res. I*, *41*, 1527–1550.
- Garzoli, S. L., and G. J. Goni, 2000, Combining altimeter observations and oceanographic data for ocean circulation and climate studies. IN: *Satellites, Oceanography and Society*, edited by D. Halpern, Elsevier Science B.V., 79–97.
- Garzoli, S.L., and A.L. Gordon, 1996, Origins and variability of the Benguela Current. *J. Geophys. Res.*, *101*, 897–906.
- Garzoli, S., and E.J. Katz, 1981, Observations of inertia-gravity waves in the Atlantic from inverted echo sounders during FGGE. *J. Phys. Oceanog.*, *11*, 1463–1473.
- Garzoli, S.L., and S.G.H. Philander, 1985, Validation of an equatorial Atlantic simulation model using inverted echo sounder data. *J. Geophys. Res.*, *90*, 9199–9201.
- Garzoli, S.L., and P.L. Richardson, 1989, Low-frequency meandering of the

- Atlantic North Equatorial Countercurrent. *J. Geophys. Res.*, *94*, 2079–2090.
- Garzoli, S.L., and C. Simionato, 1990, Baroclinic instabilities and forced oscillations in the Brazil/Malvinas confluence front. *Deep-Sea Res.*, *37*, 1053–1074.
- Garzoli, S.L., M. Maccio, A. Martino, M. Edwards, A. Bianchi, M. Ferrario, and M. Charo, 1991, Confluence 1988–1990 data report. Lamont-Doherty Geological Observatory Rept LDGO–91–2.
- Garzoli, S.L., A.L. Gordon, V.M. Kamenkovich, D. Pillsbury, and C.M. Duncombe Rae. 1996. Variability and sources of the southeastern Atlantic circulation. *J. Mar. Res.*, *54*, 1039–1071.
- Garzoli, S.L., A. Field, and Q. Yao, 2003, North Brazil Current rings and the variability in the latitude of the retroflexion. In *Interhemispheric Water Exchange in the Atlantic Ocean*, G.J. Goni and P. Malanotte-Rizzoli (eds.). *Elsevier Oceanography Series*, *68* (ISBN 0444512675), 357–373.
- Goni, G., S. Kamholz, S. L. Garzoli, and D. B. Olson, 1996, Dynamics of the Brazil/Malvinas Confluence based on inverted echo sounders and altimetry, *J. Geophys. Res.*, *101*, 16, 273–16,289.
- Gordon, A. L., and R. D. Susanto, 1998, Makassar Strait transport: Initial estimate based on Arlindo results. *Marine Technol. Soc. Journ.*, *32*, 34–45.
- Hallock, Z.R., 1987, Regional characteristics for interpreting inverted echo sounder (IES) observations. *J. Atmos. Oceanic Technol.*, *4*, 298–304.
- Hallock, Z.R., 1992, Objective daily maps of thermocline depth for the SYNOP eastern array. NOARL Tech. Note 259, Naval Research Lab., Stennis Space Center, MS, 54 pp.
- Hallock, Z.R., and W. Teague, 1987, Inverted echo sounder data near the New England Seamounts, 1985–1986. NORDA Technical Note No. 370, Naval Ocean Research and Development Activity, Stennis Space Center, MS, 161 pps.
- Hallock, Z.R., and W. Teague, 1993, Sea surface height fluctuations observed

- simultaneously with inverted echo sounders and Geosat. *J. Geophys. Res.*, *98*, 16,341–16,349.
- Hallock, Z.R., and W.J. Teague, 1995, On the meridional surface profile of the Gulf Stream at 55°W. *J. Geophys. Res.*, *100*, 13,615–13,624.
- Hallock, Z.R., and W.J. Teague, 1996, Evidence for a North Pacific deep western boundary current. *J. Geophys. Res.*, *101*, 6617–6624.
- Hallock, Z.R., J.L. Mitchell and J.D. Thompson, 1989, Sea surface topographic variability near the New England Seamounts: an intercomparison among in situ observations, numerical simulations, and Geosat altimetry from the regional energetics experiment. *J. Geophys. Res.*, *94*, 8021–8028.
- Hallock, Z.R., W.J. Teague, and J.D. Thompson, 1991, A comparison of observed and modeled sea surface topographic time series near the New England Seamounts. *J. Geophys. Res.*, *96*, 12,635–12,644.
- Hamilton, P., J.J. Singer, E. Waddell, and K.A. Donohue, 2003, Deepwater Observations in the Northern Gulf of Mexico from In-Situ Current Meters and PIES. *Final Report. Volume I: Executive Summary. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2003-048.* 14 pp.
- Hamilton, P., J.J. Singer, E. Waddell, and K.A. Donohue, 2003, Deepwater observations in the northern Gulf of Mexico from in-situ current meters and PIES. *Final Report. Volume II: Technical Report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2003-049.* 95 pp.
- He, Y., 1993, Determining the baroclinic geostrophic velocity structure with inverted echo sounders. M.S. thesis, Graduate School of Oceanography, University of Rhode Island, Narragansett, 135 pp.
- He, Y., D. R. Watts, and K. L. Tracey, 1998, Determining geostrophic velocity shear profiles with inverted echo sounders. *J. Geophys. Res.*, *103*, 5607-5622.
- Hendry, R.M., D.R. Watts, and C.S. Meinen, 2002, Newfoundland Basin sea level variability from TOPEX/POSEIDON altimetry and inverted echo

- sonder/bottom pressure measurements. *Can. J. Rem. Sens.*, 28(4) 544–555.
- Howden, S.D., 1996, Processes associated with steep meander development in the Gulf Stream near 68°W. Ph.D. thesis, Graduate School of Oceanography, University of Rhode Island, Narragansett, 229 pp.
- Howden, S.D., 2000, The Three-Dimensional Secondary Circulation in Developing Gulf Stream Meanders, *J. Phys. Ocean.*, 30, 888–915.
- Howden, S. D. and D. R. Watts, 1999, Jet streaks in the Gulf Stream, *J. Phys. Ocean.*, 29,, 1910–1924.
- Howden, S.D., E. Fields, X. Qian, K.L. Tracey and D.R. Watts, 1993, IES calibration for main thermocline depth: a method using integrated XBT temperature profiles. University of Rhode Island GSO Tech. Rept. No. 93–3, 18 pp.
- Howden, S.D., D.R. Watts, K.L. Tracey, and H.T. Rossby, 1994, An acoustic telemetry system implemented for real-time monitoring of the Gulf Stream with inverted echo sounders. *J. Atmos. Oceanic Technol.*, 11, 567–571.
- James, C.E., and M. Wimbush, 1995, Inferring dynamic height variations from acoustic travel time in the Pacific Ocean. *J. Oceanogr.*, 51, 553–569.
- James, C., M. Wimbush, and H. Ichikawa, 1994, East China Sea Kuroshio 1991–92 data report, University of Rhode Island GSO Tech. Rept. No. 94–3, 22 pp.
- Jochens, A.E., 1989. Simulation of the response of an inverted echo sounder array to rings in the Gulf of Mexico. M.S. Thesis, Texas A&M University.
- Johns, W.E., and D.R. Watts, 1985, Gulf Stream meanders: observations on the deep currents. *J. Geophys. Res.*, 90, 4819–4832.
- Johns, W.E., and D.R. Watts, 1986, Time scales and structure of topographic Rossby waves and meanders in the deep Gulf Stream. *J. Mar. Res.*, 44, 267–290.
- Johns, E., D.R. Watts and H.T. Rossby, 1989, A test of geostrophy in the Gulf Stream. *J. Geophys. Res.*, 94, 3211–3222.

- Johns, W.E., T.J. Shay, J.M. Bane, and D.R. Watts, 1995, Gulf Stream structure, transport, and recirculation near 68°W. *J. Geophys. Res.*, *100*, 817–838.
- Kakinoki, K., S. Imawaki, H. Uchida, H. Nakamura, S.-I. Umatani, A. Nishina, H. Ichikawa, and M. Wimbush, 2006, Sea-surface dynamic height of the Kuroshio south of Japan estimated from inverted echo sounders and its error estimation, *Rep. Res. Inst. Appl. Mech.*, *130*, 11–20.
- Kakinoki, K., S. Imawaki, K. Ichikawa, S.-I. Umatani, 2007, Comparison of sea surface dynamic heights estimated from inverted echo sounder data and satellite altimeter data, *Eng. Sci. Rep., Kyushu Univ.*, *29(1)*, 13–17.
- Kakinoki, K., S. Imawaki, H. Uchida, H. Nakamura, K. Ichikawa, S.-I. Umatani, A. Nishina, H. Ichikawa, and M. Wimbush, 2008, Variations of Kuroshio geostrophic transport south of Japan estimated from long-term IES observations, *J. Oceanogr.*, *66*, 373–384.
- Kanzow, T., U. Send, W. Zenk, A.D. Chave, and M. Rhein, 2006, Monitoring the integrated deep meridional flow in the tropical North Atlantic: long term performance of a geostrophic array. *Deep-Sea Res., I*, *53(3)*, 528–546.
- Kanzow, T., S.A. Cunningham, D. Rayner, J.J.-M. Hirschi, W.E. Johns, M.O. Baringer, H.L. Bryden, L.M. Beal, C.S. Meinen, and J. Marotzke, 2007, Observed flow compensation associated with the MOC at 26.5°N in the Atlantic. *Science*, *317(5840)*, 938–941, doi: 10.1126/science.1141293.
- Katz, E.J., 1984, A note on indirect wind speed measurements from ambient noise. *Geophys. Res. Lett.*, *11*, 726–728.
- Katz, E.J., 1984, Basin wide thermocline displacements along the equator of the Atlantic in 1983. *Geophys. Res. Lett.*, *11*, 729–732.
- Katz, E.J., 1987, Seasonal response of the sea surface to the wind in the equatorial Atlantic. *J. Geophys. Res.*, *92*, 1885–1893.
- Katz, E.J., 1987, Equatorial Kelvin waves in the Atlantic. *J. Geophys. Res.*, *92*, 1894–1898.
- Katz, E.J., 1993, An interannual study of the Atlantic North Equatorial Coun-

- tercurrent. *J. Phys. Oceanogr.*, *23*, 116–123.
- Katz, E. J., 1997, Waves along the Equator in the Atlantic. *J. Phys. Oceanogr.*, *27*, 2536–2544.
- Katz, E.J., and S. Garzoli, 1982, response of the western equatorial Atlantic Ocean to an annual wind cycle. *J. Mar. Res.*, *40 suppl.*, 307–327.
- Katz, E.J., and S.L. Garzoli, 1983, Intercomparison of simultaneous inverted echo sounder measurements in the tropical Atlantic. *Tropical Ocean-Atmosphere Newsletter*, No. 17, 8–9.
- Katz, E.J., and S.L. Garzoli, 1984, Thermocline displacement across the Atlantic North Equatorial Countercurrent during 1983. *Geophys. Res. Lett.*, *11*, 737–740.
- Katz, E.J., P. Hisard, J-M Verstraete and S.L. Garzoli, 1986, Annual change of sea surface slope along the equator of the Atlantic Ocean in 1983 and 1984. *Nature*, *322*, 245–247.
- Katz, E.J., A. Busalacchi, M. Bushnell, F. Gonzalez, L. Gourdeau, M. McPhaden, and J. Picaut, 1995, A comparison of coincidental time series of the ocean surface height by satellite altimeter, mooring, and inverted echo sounder. *J. Geophys. Res.*, *100*, 25101–25108.
- Kelly, K.A., and D.R. Watts, 1994, Monitoring Gulf Stream transport by radar altimeter and inverted echo sounders. *J. Phys. Oceanogr.*, *24*, 1080–1084.
- Kim, H.-S., 1991, An observational streamfunction in the Gulf Stream. M.S. thesis, Graduate School of Oceanography, University of Rhode Island, Narragansett, 126 pp.
- Kim, H.-S., 1994, An equivalent-barotropic data-assimilating model of Gulf Stream meanders. Ph.D. thesis, Graduate School of Oceanography, University of Rhode Island, Narragansett, 95 pp.
- Kim, H.-S., and D.R. Watts, 1994, An observational streamfunction in the Gulf Stream. *J. Phys. Oceanogr.*, *24*, 2639–2657.
- Kim, H.S., K.L. Tracey, and D.R. Watts, 1988, The SYNOP pilot experiment:

- inverted echo sounder data report for November 1986 to March 1987. University of Rhode Island GSO Tech. Rept. No. 88-1, 66 pps.
- Kinoshita, H., Y. Micida, H. Nishida, and H. Yoritaka, 1996, Improvement on the geoid under TOPEX/POSEIDON passes in the region south of Japan. *J. Adv. Mar. Sci. Tech. Soci.*, 2, 31-38.
- Konda, M., H. Ichikawa, I.-S. Han, X.-H. Zhu, and K. Ichikawa, 2005, Variability of current structure due to meso-scale eddies on the bottom slope southeast of Okinawa Island. *J. Oceanogr.*, 61, 1089-1099.
- Kontoyiannis, H., 1988, The role of the pressure field in the dynamics and energetics of the Gulf Stream at 73°W. M.S. thesis, University of Rhode Island, Narragansett, 95 pp.
- Kontoyiannis, H., 1992, Variability of the Gulf Stream path between 74°W and 70°W: Observations and quasi-geostrophic modeling of mixed instabilities, Ph.D. thesis, Graduate School of Oceanography, University of Rhode Island, 137 pp.
- Kontoyiannis, H., and D.R. Watts, 1990, Ageostrophy and pressure work in the Gulf Stream at 73°W. *J. Geophys. Res.*, 95, 22,209-22,228.
- Kontoyiannis, H., and D.R. Watts, 1994, Observations on the variability of the Gulf Stream path between 74°W and 70°W. *J. Phys. Oceanogr.*, 24, 1999-2013.
- Lukas, R., F. Santiago-Mandujano, F. Bingham, A. Mantyla, 2001, Cold bottom water events observed in the Hawaii Ocean Time-series: implications for vertical mixing. *Deep-Sea Res. (I Oceanogr. Res. Pap.)*, 48 995-1021.
- Li, L., and M. Wimbush, 1985, Bottom temperatures related to Gulf Stream displacement off the southeast U.S. shelf. *J. Atmos. Oceanic Technol.*, 2, 90-94.
- Li, L., M. Wimbush, D.R. Watts, A.J. Brincko and T.N. Lee, 1985, Gulf Stream and wind-induced current variability on the Georgia continental shelf, winter 1978. *J. Geophys. Res.*, 90, 3199-3210.

- Li, L., M. Wimbush and D.R. Watts, 1986, Variability of thermal structure off Georgia, winter 1978. *Continental Shelf Res.*, 6, 561–584.
- Lindstrom, S.S., and D.R. Watts, 1994, Vertical motion in the Gulf Stream near 68°W. *J. Phys. Oceanogr.*, 24, 2321–2333.
- Lindstrom, S.S., X. Qian, and D.R. Watts, 1997, Vertical motion in the Gulf Stream and its relation to meanders. *J. Geophys. Res.*, 102, 8485–8503.
- Macrande, A., 2001, Wassermassentransport in der Dnemarkstrae, Christian-Albrechts-Universitt Kiel, Mathematisch-naturwissenschaftliche Fakultt der Christian-Albrechts-Universitt zu Kiel.
- Macrande, A., 2004, Variability and Processes of the Denmark Strait Overflow, Christian-Albrechts-Universitt Kiel, Mathematisch-naturwissenschaftliche Fakultt der Christian-Albrechts-Universitt zu Kiel, <http://hdl.handle.net/10013/epic.24876>.
- Macrande, A., U. Send, H. Valdimarsson, S. Jonsson, and R.H. Kase, 2005, Interannual changes in the overflow from the Nordic Seas into the Atlantic Ocean through Denmark Strait, *Geophys. Res. Lett.*, 32, L06606, doi:10.1029/2004GL021463.
- Macrande, A., R.H. Kase, U. Send, H. Valdimarsson, and S. Jonsson, 2007, Spatial and temporal structure of the Denmark Strait overflow revealed by acoustic observations. *Ocean Dynamics*, 57, 75-89.
- Maul, G.A., J.R. Proni, W.P. Dammann, C.A. Lauter, M. Bushnell and D.A. Mayer, 1986, Inverted echo sounder/pressure gauge measurements. Chapter 6, Physical Oceanographic Study of Florida’s Atlantic coast region—Florida Atlantic Coast Study (FACTS). Final report, MMS Agreement No. 14-12-0001-30082: Florida Institute of Oceanography, St. Petersburg, 333–384.
- Maul, G.A., J.R. Proni, M. Bushnell and J.L. Mitchell, 1988, Oceanic dynamic height anomaly from GEOSAT: a conceptual model for short collinear orbit segments. *Marine Geodesy*, 12, 259–286.
- Meinen, C. S., 1998, Transport of the North Atlantic Current, Ph.D. thesis, Graduate School of Oceanography, Univ. Rhode Island, 197 pp.

- Meinen, C.S., 2001, Structure of the North Atlantic Current in stream-coordinates and the circulation in the Newfoundland Basin. *Deep Sea Res.*, 48(7), 1553–1580.
- Meinen, C.S., 2005, Temporal Sampling: How many sections are needed to quantify the mean transport and structure of a meandering current? *J. Atmos. Oceanic Technol.*, 22(4), 476–489.
- Meinen, C.S., and D.S. Luther, 2002, Mooring motion when the pressure sensors fail: A method employing inverted echo sounders. *J. Atmos. Ocean. Technol.*, 19(9) 1451–1460.
- Meinen, C.S. and D.S. Luther, 2003, Comparison of methods of estimating mean synoptic current structure in “stream coordinates” reference frames with an Example from The Antarctic Circumpolar Current. *Deep Sea Res. I*, 50(2) 201–220.
- Meinen, C. S., and D. R. Watts, 1997, Further evidence that the sound-speed algorithm of Del Grosso is more accurate than that of Chen and Millero. *J. Acoust. Soc. Am.*, 102, 2058–2062.
- Meinen, C. S., and D. R. Watts, 1998, Calibrating inverted echo sounders equipped with pressure sensors, *J. Atmos. Oceanic Technol.*, 15, 1339–1345.
- Meinen, C. S., and D. R. Watts, 2000, Vertical structure and transport on a transect across the North Atlantic Current near 42°N: Time series and mean, *J. Geophys. Res.*, 105, 21,869–21,892.
- Meinen, C. S., D.R. Watts, and R. A. Clarke, 1999, Absolutely referenced geostrophic velocity and transport on a section across the North Atlantic Current, *Deep-Sea Res. I.*, 47, 309–322.
- Meinen, C.S., D.S. Luther, D.R. Watts, K.L. Tracey, A.D. Chave, and J. Richman, 2002, Combining inverted echo sounder and horizontal electric field recorder measurements to obtain absolute velocity profiles. *J. Atmos. Ocean. Technol.*, 19(10), 1653–1664.
- Meinen, C.S., D.S. Luther, D.R. Watts, A.D. Chave, and K.L. Tracey, 2003, Mean stream-coordinates structure of the Subantarctic Front: Temperature,

- salinity, and absolute velocity. *J. Geophys. Res.*, *108(C8)*, 3263, 10.1029/2002JC001545.
- Meinen, C.S., S.L. Garzoli, W.E. Johns, and M.O. Baringer, 2004, Transport variability of the Deep Western Boundary Current and the Antilles Current off Abaco Island, Bahamas. *Deep Sea Res. I*, *51(11)*, doi:10.1016/j.dsr.2004.07.007, 1397–1415.
- Meinen, C.S., M.O. Baringer, and S.L. Garzoli, 2006, Variability in Deep Western Boundary Current transports: Preliminary results from 26.5°N in the Atlantic, *Geophys. Res. Lett.*, *33*, L17610, doi:10.1029/2006GL026965.
- Meredith, M.P., 1995, On the temporal variability of the transport through Drake Passage, Ph.D. thesis, School of Environ. Sci., Univ. of East Anglia, Norwich, England.
- Meredith, M. P., J. M. Vassie, R. Spencer, and K. J. Heywood, 1997, The processing and application of inverted echo sounder data from the Drake Passage. *J. Atmos. Oceanic Technol.*, *14*, 871–882.
- Miller, L., D.R. Watts and M. Wimbush, 1985, Oscillations of dynamic topography in the eastern equatorial Pacific. *J. Phys. Oceanog.*, *15*, 1759–1770.
- Mitchell, D.A., 2003, Upper current structure and variability in the Southwestern Japan/East Sea, Ph.D. thesis, Graduate School of Oceanography, University of Rhode Island, Narragansett, 140 pp.
- Mitchell, D.A., D.R. Watts, M. Wimbush, and W.J. Teague, 2001, Determining gravest empirical modes from hydrographic data in the southwest Japan/East Sea. *Proceedings of CREAMS 2001 International Symposium on Oceanography of the East Asian Marginal Seas, Honolulu, February 2001*.
- Mitchell, D.A., M. Wimbush, D.R. Watts, G. Sutyrin and W.J. Teague, 2004, The Residual GEM technique and its application to the southwestern Japan/East Sea. *J. Atmos. Ocean. Technol.*, *21*, 1895–1909.
- Mitchell, D.A., Y. Xu, K.L. Tracey, D.R. Watts, M. Wimbush, and W. Teague, 2004, Inverted echo sounder data report: Ulleung Basin of Japan/East Sea, June 1999 to July 2001 *GSO Technical Report 2004-02*.

- Mitchell, D.A., W.J. Teague, M.Wimbush, D.R. Watts and G.G. Sutyrin, 2005, The Dok Cold Eddy. *J. Phys. Oceanogr.*, *35*, 273–288.
- Mitchell, D.A., D.R. Watts, M. Wimbush, W.J. Teague, K.L. Tracey, J.W. Book, K.-I. Chang, M.-S. Suk, and J.-H. Yoon, 2005, Upper circulation patterns in the Ulleung Basin. *Deep-Sea Res. II*, *52*, 1617–1638.
- Mitchell, J.L., Z.R. Hallock, and J.D. Thompson, 1987, REX and Geosat: progress in the first year. *Johns Hopkins APL Tech. Dig.*, *8*, 234–244.
- Mitchum, G.T., 1996, On using satellite altimetric heights to provide a spatial context for the Hawaii Ocean Time-series measurements. *Deep Sea Res. II*, *43*, 257–280.
- Nakamura, H., 1999, A comparison of variation in sound travel time by IES with variation in sea surface height by satellite altimeter, *Kuroshio no Kaihatsu Riyo Chosa Kenkyu Seika Hokokusho*, 1997, 88–94. (Language: Japanese)
- Nam, S.-H., S.-J. Lyu, Y.-H. Kim, J.-H. Park, and D.R. Watts, 2004, Correction of TOPEX/Poseidon altimeter data for nonisostatic sea level response to atmospheric pressure in the Japan/East Sea, *Geophys. Res. Lett.*, *31*, doi:10.1029/2003GL018487.
- Park, J.-H. and D.R. Watts, 2005, Near-inertial oscillations interacting with mesoscale circulation in the southwestern Japan/East Sea. *Geophys. Res. Lett.*, *32*, L10611, doi:10.1029/2005GL022936.
- Park, J.-H. and D.R. Watts, 2005, Response of the southwestern Japan/East Sea to atmospheric pressure. *Deep Sea Res. II*, *52*, 1671–1683.
- Park, J.-H. and D.R. Watts, 2006, Internal tides in the southwestern Japan/East Sea, *J. Phys. Oceanogr.*, *36*, 22–34.
- Park, J.-H. and D.R. Watts, 2006, Near 5-day nonisostatic response of the Atlantic Ocean to atmospheric surface pressure deduced from sub-surface and bottom pressure measurements, *Geophys. Res. Lett.*, *33*, L12610, doi:10.1029/2006GL026304.
- Park, J.-H., D.R. Watts, K. L. Tracey, and D. A. Mitchell, 2005, A multi-index

- GEM technique and its application to the southwestern Japan/East Sea, *J. Atmos. Oceanic Technol.*, *22*, 1282–1293.
- Park, J-H., M. Andres, P.J. Martin, M. Wimbush and D.R. Watts, 2005, Second-mode internal tides in the East China Sea from historical hydrocasts and model. *The Indonesia Forum 2005 and the 13th PAMS/IECS Workshop, Bali, Indonesia, July 2005, Proceedings, 77–78 & CD-ROM*.
- Park, J-H., M. Andres, P.J. Martin, M. Wimbush and D.R. Watts, 2006, Second-mode internal tides in the East China Sea deduced from historical hydrocasts and a model, *Geophys. Res. Lett.*, *33*, L05602, doi:10.1029/2005GL024732.
- Park, J.-H., D.R. Watts, M. Wimbush, J.W. Book, K. L. Tracey, and Y. Xu, 2006, Rapid variability and its links to mesoscale circulation in the Japan/East Sea: basin oscillations, internal tides, and near-inertial oscillations, *Oceanography*, *19*, 76–85.
- Philander, G., D. Halpern, D. Hansen, R. Legeckis, L. Miller, C. Paul, R. Watts, R. Weisberg and M. Wimbush, 1985, Long waves in the equatorial Pacific Ocean. *EOS*, *66*, 154.
- Pickart, R.S., 1994, Interaction of the Gulf Stream and deep western boundary current where they cross. *J. Geophys. Res.*, *99*, 22,155–22,164.
- Pickart, R.S., 1995, Gulf Stream-generated topographic Rossby waves. *J. Phys. Oceanogr.*, *25*, 574–586.
- Pickart, R.S., and D.R. Watts, 1990, Using the inverted echo sounder to measure vertical profiles of Gulf Stream temperature and geostrophic velocity. *J. Atmos. Oceanic Technol.*, *7*, 146–156.
- Pickart, R.S., and D.R. Watts, 1990, Deep western boundary current variability at Cape Hatteras. *J. Mar. Res.*, *48*, 765–791.
- Pickart, R.S., and D.R. Watts, 1993, Gulf Stream meanders over steep topography. *J. Geophys. Res.*, *98*, 6895–6905.
- Qian, X., and D.R. Watts, 1992, The SYNOP experiment: Bottom pressure

- maps from the Central Array May 1988 to August 1990. Tech. Rep. 92-3, Graduate School of Oceanography, University of Rhode Island, Narragansett, 187 pp.
- Qian, X. K.L. Tracey, E. Fields and D.R. Watts, 1990, The SYNOP experiment: inverted echo sounder data report for October 1987 to May 1988. University of Rhode Island GSO Tech. Rept. No. 90-3, 156 pps.
- Rosby, T., 1969, On monitoring depth variations of the main thermocline acoustically. *J. Geophys. Res.*, *74*, 5542-5546.
- Rosby, T., 1973, Inverted echo sounder: a description and some results from MODE-I. *MODE Hot Line News*, *41*, 1-3.
- Santos, J., M. Wimbush, T.N. Lee, L.J. Pietrafesa, 1989, Gulf Stream and wind induced current variability on the northeastern Florida continental shelf. *Continental Shelf Res.*, *10*, 203-224.
- Science Applications International Corporation, 1989, Gulf of Mexico Physical Oceanography Program, Final Report: Year 5. Volume II: Technical Report. OCS Report/MMS - 89 - 0068, U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office, New Orleans, LA, 333 pp.
- Shay, T.J., J.M. Bane, D.R. Watts, and K.L. Tracey, 1995, Gulf Stream flow field and events near 68°W. *J. Geophys. Res.*, *100*, 22,565-22,589.
- Spenser, R., and P. Foden, 1996, Data from the deep ocean via releasable data capsules. *Sea Technology*, February 1996, 10-14. (Not IES; bottom pressure).
- Spencer, R., P.R. Foden, C. McGarry, A.J. Harrison, J.M. Vassie, T.F. Baker, M.J. Smithson, S.A. Harangozo, and P.L. Woodworth, 1993, The ACCLAIM programme in the South Atlantic and southern oceans. *Int. Hydrogr. Rev.*, *70*, 7-21.
- Spencer, R., P.R. Foden, and J.M. Vassie, 1994, Development of a multiyear deep sea bottom pressure recorder, in *Sixth International Conference on Electronic Engineering in Oceanography*, edited by B.S. McCartney et al., pp. 175-180, Inst. of Electr. Eng., London. (Not IES; Bottom pressure)

- Stein, R. 2005, Scientific Cruise Report of the Arctic Expedition ARK-XX/3 of RV "Polarstern" in 2004: Fram Strait, Yermak Plateau and East Greenland Continental Margin, *Ber. Polar Meeresforsch./Rep. Polar Mar. Res.*, 517, 188.
- Takeuchi, T., and K. Taira, 1993, Development of multipaths inverted echosounder, in *Deep Ocean Circulation Physical and Chemical Aspects*, edited by T. Teramoto, pp. 375–382, Elsevier Oceanographic Series 59, Amsterdam, The Netherlands.
- Takeuchi, T., and K. Taira, 1993, Measurement of vertically average ocean current velocity using multipath inverted echosounders, In *Recent advances in Marine Science and Technology*, 92, edited by N. Saxena, PACON International, Honolulu, Hawaii, 35–46.
- Takeuchi, T., A. Kubo, Y. Nagai, K. Taira and S. Kitagawa, 1993, Acoustical method for measurement of mean ocean volume flow. *J. Acoustical Soc. Japan*, 49, 543–550.
- Teague, W.J., and Z.R. Hallock, 1986, Deployment and recovery procedures for inverted echo sounders. Naval Ocean Research and Development Activity, Stennis Space Center, MS, NORDA Technical Note 366, 10 pp.
- Teague, W.J., and Z.R. Hallock, 1990, Gulf Stream path analysis near the New England Seamounts. *J. Geophys. Res.*, 95, 1647–1662.
- Teague, W.J. and Z.R. Hallock, 1995, Inverted echo sounder observations during the Kuroshio Extension Regional Experiment, NRL/MR/7332–95-7591, 61 pp., [Available from Naval Research Laboratory, Stennis Space Center, MS 39529-5004].
- Teague, W.J., Z.R. Hallock, G.C. Romero, and J.M. Dastugue, 1989, Inverted echo sounder data near 55° West 1987–1988. Naval Ocean Research and Development Activity, Stennis Space Center, MS, NORDA Technical Note 462, 118 pp.
- Teague, W.J., Z.R. Hallock, G.A. Jacobs, and J.L. Mitchell, 1994, Steric effects in comparisons of inverted echo sounders and TOPEX/POSEIDON,

TOPEX/POSEIDON Research News, Issue 3, October, 1994, 4–11.

Teague, W.J., Z.R. Hallock, G.A. Jacobs, and J.L. Mitchell, 1995, Kuroshio sea surface height fluctuations observed simultaneously with inverted echo sounders and TOPEX/POSEIDON. *J. Geophys. Res.*, 100, 24,987–24,994.

Teague, W.J., Z.R. Hallock, and G.A. Jacobs, 1997, Estimation of a geoid section across the Kuroshio, *J. Atmos. Oceanic Technol.*, 14, 326–330.

Teague, W.J., G.A. Jacobs, D.A. Mitchell, M. Wimbush and D.R. Watts., 2004, Decadal current variations in the southwestern Japan/East Sea. *J. Oceanog.*, 60, 1023–1033.

Teague, W.J., K.L. Tracey, D.R. Watts, J.W. Book, K.-I. Chang, P.J. Hogan, D.A. Mitchell, M.-S. Suk, M. Wimbush and J.-H. Yoon, 2005, Observed deep circulation in the Ulleung Basin,. *Deep-Sea Res. II*, 52, 1802–1826.

Tracey, K.L., and D.R. Watts, 1986, The Gulf Stream dynamics experiment: inverted echo sounder data report for the April 1983 to June 1984 deployment period. University of Rhode Island GSO Tech. Rept. No. 86–4, 236 pps.

Tracey, K.L., and D.R. Watts, 1986, On Gulf Steam meander characteristics near Cape Hatteras. *J. Geophys. Res.*, 91, 7587–7602.

Tracey, K.L., and D.R. Watts, 1991, The SYNOP experiment: thermocline depth maps for the central array October 1987 to August 1990. University of Rhode Island GSO Tech. Rept. No. 91–5, 193 pps.

Tracey, K.L., and D.R. Watts, 1991, The SYNOP experiment: thermocline depth maps for the inlet array October 1987 to August 1990. University of Rhode Island GSO Tech. Rept. No. 91–6, 137 pps.

Tracey, K.L., M. Cronin and D.R. Watts, 1985, The Gulf Stream dynamics experiment: inverted echo sounder data report for the June 1984 to May 1985 deployment period. University of Rhode Island GSO Tech. Rept. No. 85-3, 185 pps.

Tracey, K.L., A.I. Friedlander, and D.R. Watts, 1987, Objective analysis of the Gulf Stream thermal front: methods and accuracy report. University of

- Rhode Island GSO Tech. Rept. No. 87–2, 112 pps.
- Tracey, K.L., C.S. Meinen, and D.R. Watts, 1996, North Atlantic Current Inverted Echo Sounder data report for August 1993 – July 1995. *GSO Technical Report 96-7*.
- Tracey, K.L., S.D. Howden and D.R. Watts, 1997, IES calibration and mapping procedures. *J. Atmos. Oceanic Technol.*, *14*, 1483–1493.
- Tracey, K.L., D.R. Watts, C.S. Meinen, and D.S. Luther, 2006, Synoptic maps of temperature and velocity within the Subantarctic Front south of Australia. *J. Geophys. Res.*, *111*, C10016, doi:10.1029/2005JC002905.
- Trivers, G., 1992, Regional characteristics of acoustic travel time interpretations in the North Atlantic. M.S. thesis, Graduate School of Oceanography, University of Rhode Island, Narragansett.
- Trivers, G., and M. Wimbush, 1994, Using acoustic travel time to determine dynamic height variations in the North Atlantic Ocean, *J. Atmos. Oceanic Technol.*, *11*, 1309–1316.
- Vazquez, J., and D.R. Watts, 1985, Observations on the propagation, growth, and predictability of Gulf Stream meanders. *J. Geophys. Res.*, *90*, 7143–7151.
- Watts, D.R., 1974, Inverted echo sounders. *Instrument Description and Intercomparison Report of the MODE-I Intecomparison Group*, The MODE Executive Office, 54-1417, M.I.T., 173 pps.
- Watts, D.R., 1976, Inverted echo sounders monitoring the Gulf Stream. *POLY-MODE Hot Line News*, *4*, 1–3.
- Watts, D.R., 1977, Inverted echo sounders. In *Atlas of the Mid-Ocean Dynamics Experiment (MODE-I)*, V. Lee and C. Wunsch, eds., MIT Press, 159–160.
- Watts, D.R., 1977, Geostrophic comparisons using dynamic heights from IES and stream function from floats and current meters. In *Atlas of the Mid-Ocean Dynamics Experiment (MODE-I)*, V. Lee and C. Wunsch, eds., MIT Press, 170.
- Watts, D.R., 1983, Gulf Stream variability. In *Eddies in Marine Science*, A.

- Robinson, ed., Springer-Verlag, 114–144.
- Watts, D.R., and W.E. Johns, 1982, Gulf Stream meanders: observations on propagation and growth. *J. Geophys. Res.*, *87*, 9467–9476.
- Watts, D.R., and H. Kontoyiannis, 1986, Deep-ocean bottom pressure and temperature sensors report: methods and data. University of Rhode Island GSO Tech. Rept. No. 86–8, 121 pps.
- Watts, D.R., and H. Kontoyiannis, 1990, Deep-ocean bottom pressure measurement: drift removal and performance. *J. Atmos. Ocean. Technol.*, *7*, 296–306.
- Watts, D.R., and D.B. Olson, 1978, Gulf Stream ring coalescence with the Gulf Stream off Cape Hatteras. *Science*, *202*, 971–972.
- Watts, D.R., and H.T. Rossby, 1977, Measuring dynamic heights with inverted echo sounders: results from MODE. *J. Phys. Oceanogr.*, *7*, 345–358.
- Watts, D.R., and K.L. Tracey, 1985, Objective analysis of the Gulf Stream thermal front from inverted echo sounders. *Gulf Stream Workshop Proceedings, II*, 525–548, University of Rhode Island.
- Watts, D.R., and M. Wimbush, 1981, Sea surface height and thermocline depth variations measured from the sea floor. *International Symposium on Acoustic Remote Sensing of the Atmosphere and Oceans, Proceedings, III*, 33–47. Calgary.
- Watts, D.R., K.L. Tracey, and A.I. Friedlander, 1989, Producing accurate maps of the Gulf Stream thermal front using objective analysis. *J. Geophys. Res.* *94*, 8040–8052.
- Watts, D.R., K.L. Tracey, J.M. Bane, and T.J. Shay, 1995, Gulf Stream path and thermocline structure near 74°W and 68°W. *J. Geophys. Res.*, *100*, 18,291–18,312.
- Watts, D.R., C. Sun, S. Rintoul, 2001, A two-dimensional gravest empirical mode determined from hydrographic observations in the Subantarctic Front. *J. Phys. Oceanogr.*, *31* 2186–2209.

- Watts, D.R., X. Qian, and K. L. Tracey. 2001. On mapping abyssal current and pressure fields under the meandering Gulf Stream. *J. Atmos. Oceanic Technol.*, 18, 1052-1067.
- Watts, D.R., M. Wimbush, K.L. Tracey, W.J. Teague, J.-H. Park, D.A. Mitchell, J.-H. Yoon, m.-S. Suk, and K.I. Chang, 2006, Currents, eddies, and a "fish story" in the southwestern Japan/East Sea, *Oceanography*, 19, 64–75.
- Waworuntu, J.M., S.L. Garzoli, and D.B. Olson, 2001, Dynamics of the Makassar Strait. *J. Mar. Res.*, 59(2), 313–325.
- Wimbush, M., 1989, Inverted echo sounders: results from the central Pacific. *U.S. TOGA Ocean Observing System Mid-Life Progress Review and Recommendations for Continuation 1990–1995, Workshop Report*, C-68–C-71, Honolulu.
- Wimbush, M., 1990, Inferring sea level variation from acoustic travel time and bottom pressure measurements, In: Towards an integrated system for measuring long term changes in global sea level; Report of a workshop held at Woods Hole Oceanographic Institution, H.F. Eden, ed., JOI Inc., 147–153.
- Wimbush, M., S.M. Chiswell, R. Lukas, K.A. Donohue, 1990, Inverted echo sounder measurement of dynamic height through an ENSO cycle in the central equatorial Pacific. *IEEE J. Oceanic Technol.*, 15, 380–383.
- Wimbush, M., H. Ichikawa, J. Book, H. Uchida, and H. Kinoshita, 1997, Separating barotropic and baroclinic sea-surface height components in the ASUKA region, by combining altimeter and inverted echo sounder measurements. *Symposium on Ocean-Earth Dynamics and Satellite Altimetry, Tokyo, Proceedings*, 33–50.
- Winn, C., S. Chiswell, E. Firing, D. Karl and R. Lukas, 1992, Hawaii Ocean Time-series Program Data Report 2, 1990. SOEST Tech. Rept. 92-1, School of Ocean and Earth Science and Technology, Univ. of Hawaii, Honolulu, HI, 175 pp.
- Woodworth, P.L., J.M. Vassie, C.W. Hughes, and M.P. Meredith, 1996, A test of the ability of TOPEX/POSEIDON to monitor flows through the Drake

Passage. *J. Geophys. Res.*, *101*, 11,935–11,947.

Xu, Y., 2006, Analyses of sea surface height, bottom pressure and acoustic travel time in the Japan/East Sea. Ph.D. thesis, Graduate School of Oceanography, University of Rhode Island, Narragansett, 86 pp.

Xu, Y., D.R. Watts, M. Wimbush, and J.-H. Park, 2007, Fundamental-mode oscillations in the Japan/East Sea, *Geophys. Res. Lett.*, *34*, doi:10.1029/2006GL028755.

Zhu, X.-H., J.-H. Park, A. Kaneko, A. Ostrovskii, K. Takeuchi, T. Yamagata, N. Gohda, S.-I. Umatani, M. Konda, A. Isobe, K. Ichikawa, H. Ichikawa, I.-S. Han, et al., 2001, Japan Coastal Ocean Predictability Experiment (J-COPE) - Preliminary experiment at PN line West of Amami-Oshima. *Report of Japan Marine Science and Technology Center*, 91–100.

Zhu, X.-H., I.-S. Han, J.-H. Park, H. Ichikawa, K. Murakami, A. Kaneko, A. Ostrovskii, 2003, The Northeastward current southeast of Okinawa Island observed during November 2000 to August 2001. *Geophys. Res. Lett.*, *30*, 10.1029/2002GL015867.

Zhu, X.-H., H. Ichikawa, K. Ichikawa, and K. Takeuchi, 2004, Volume transport variability southeast of Okinawa Island estimated from satellite altimeter data. *J. Oceanogr.*, *60*, 953–962.