

Bibliography

- Adamec, D., 1998: Modulation of the seasonal signal of the Kuroshio Extension during 1994 from satellite data. *J. Geophys. Res.*, **103**, 10,209-10,222.
- Book, J., M. Wimbush, S. Imawaki, H. Ichikawa, H. Uchida, and H. Kinoshita, 2002: Kuroshio temporal and spatial variations south of Japan, determined from inverted echo sounder measurements. *J. Geophys. Res.*, (in press).
- Bower, A. S., and S. M. Lozier, 1994: A closer look at particle exchange in the Gulf Stream. *J. Phys. Oceanogr.*, **24**, 1399-1418.
- Bower, A.S., and H.T. Rossby, 1989: Evidence of cross frontal exchange processes in the Gulf Stream based on isopycnal RAFOS float data. *J. Phys. Oceanogr.*, **19**, 1177-1190.
- Bower, A. S., H. T. Rossby, and J. L. Lillibridge, 1985: The Gulf Stream-barrier or blender? *J. Phys. Oceanogr.*, **15**, 24-32.
- Bretherton, F.P., R.E. Davis, C.B. Fandry, 1976: A technique for objective analysis and design of oceanographic experiments and applied to MODE-73. *Deep-Sea Res.*, **23**, 559-582.
- Cessi, P., G. Ierley, and W. Young, 1987: A model of the inertial recirculation driven by potential vorticity anomalies. *J. Phys. Oceanogr.*, **17**, 1640-1652.
- Cheney, R. E., and P. L. Richardson, 1976: Observed decay of a cyclonic Gulf Stream ring. *Deep-Sea Res.*, **23**, 143-155.
- Cronin, M., 1996: Eddy-mean flow interaction in the Gulf Stream at 68°W: Part II: Eddy forcing on the time-mean flow. *J. Phys. Oceanogr.*, **26**, 2132-2151.
- Cronin, M., and D. R. Watts, 1996: Eddy-mean flow interaction in the Gulf Stream at 68°W: Part I: Eddy energetics. *J. Phys. Oceanogr.*, **26**, 2107-2131.
- Da Silva, A. M., C. C. Young, and S. Levitus, 1994: *Atlas of Surface Marine Data 1994, Vol.1: Algorithms and Procedures*, NOAA Atlas NESDIS 6, U.S. Dept. of Commer., Washington, D.C., 83 pp.
- Davis, R. E., and co-authors, 2000: Implementing the Pacific Basin Extended Climate Study (PBECS). U.S. CLIVAR Office. PDF version available at: <http://www.usclivar.org/publications.html>.
- Deser, C., and M.L. Blackmon, 1995: On the relationship between tropical and North Pacific sea surface variations. *J. Climate*, **8**, 1677-1680.
- Dewar, W. K., and J. M. Bane, 1989: Gulf Stream dynamics. Part II: Eddy energetics at 73°W. *J. Phys. Oceanogr.*, **19**, 1574-1587.
- Doherty, K. W., D. E. Frye, S. P. Liberatore, and J. M. Toole, 1999: A moored profiling instrument. *J. Atmos. Oceanic Technolol.*, **16**, 1816-1829.
- Donohue, K. A., G. E. Hufford, and M. S. McCartney, 1999: Sources and transport of the deep western boundary current east of Kerguelen Plateau. *Geophys. Res. Lett.*, **26**, 26,851-26,854.
- Donohue, K. A., E. Firing, and L. Beal, 2000: Comparison of three velocity sections of the Agulhas Current and Agulhas Undercurrent. *J. Geophys. Res.*, **105**, 28,585-28,593.
- Feng, M., P. Hacker, and R. Lukas, 1998: Upper ocean heat and salt balances in response to a westerly wind burst in the western equatorial Pacific during TOGA COARE. *J. Geophys. Res.*, **103**, 10,289-10,311.
- Feng, M., R. Lukas, P. Hacker, R. A. Weller and S. P. Anderson, 2000: Upper-ocean heat and salt balances in the western equatorial Pacific in response to the intraseasonal oscillation during TOGA COARE. *J. Climate*, **13**, 2409-2427.
- Gordon, A. L., S. Ma, D. B. Olson, P. Hacker, A. Ffield, L. D. Talley, D. Wilson and M. Baringer, 1997: Advection and diffusion of the Indonesian throughflow water within the Indian Ocean South Equatorial Current. *Geophys. Res. Lett.*, **24**, 2573-2576.
- Gregg, M. C., 1989: Scaling turbulent dissipation in the thermocline. *J. Geophys. Res.*, **94**, 9686-9698.
- Hacker, P., E. Firing, J. Hummon, A. L. Gordon, and J. Kindle, 1998: Bay of Bengal currents during the northeast monsoon. *Geophys. Res. Lett.*, **25**, 2769-2772.
- Haidvogel, D. B., and W. R. Holland, 1978: The stability of ocean currents in eddy-resolving general circulation models. *J. Phys. Oceanogr.*, **8**, 363-392.
- Hall, M. M., 1986a: Assessing the energetics and dynamics of the Gulf Stream at 68°W from moored current measurements. *J. Mar. Res.*, **44**, 423-443.
- Hall, M. M., 1989: Velocity and transport structure of the Kuroshio Extension at 35°N, 152°E. *J. Geophys. Res.*, **94**, 14,445-14,459.
- Hall, M. M., 1991: Energetics of the Kuroshio Extension at 35°N, 152°E. *J. Phys. Oceanogr.*, **21**, 958-975.
- Hall, M. M., and H. L. Bryden, 1985: Profiling the Gulf Stream with a current meter mooring. *Geophys. Res. Lett.*, **12**, 203-206.
- Hallock, Z. R., and W.J. Teague, 1996: Evidence for a North Pacific Deep western boundary current. *J. Geophys. Res.*, **101**, 6617-6624.
- Hanawa, K., and L. D. Talley, 2001: Mode Waters. In: *Ocean Circulation and Climate*, G. Siedler, J. Church and J. Gould, eds., Academic Press, pp. 373-386.
- Hanawa, K., Y. Yoshikawa, and T. Taneda, 1996:

- TOLEX-ADCP monitoring. *Geophys. Res. Lett.*, **23**, 2429-2432.
- Hautala, S. L., D. H. Roemmich, and W. J. Schmitz, Jr., 1994: Is the North Pacific in Sverdrup balance along 24° N? *J. Geophys. Res.*, **99**, 16041-16052.
- Hendry, R. M., D. R. Watts, and C. S. Meinen, 2002: Newfoundland Basin sea level variability from TOPEX/POSEIDON altimetry and inverted echo sounder/bottom pressure measurements. *Canadian J. Remote Sensing*, submitted.
- Hogg, N. G., 1993: Toward parameterization of the eddy field near the Gulf Stream. *Deep-Sea Res.*, **40**, 2359-2376.
- Hogg, N. G., 2001: Quantification of the deep circulation. In: *Ocean Circulation and Climate*, G. Siedler, J. Church and W. J. Gould, eds., Chap. 5.4, Academic Press, pp. 259-270.
- Hogg, N. G., G. Siedler, and W. Zenk, 1999: Circulation and Variability at the Southern Boundary of the Brazil Basin. *J. Phys. Oceanogr.*, **29**, 145-157.
- Holland, W. R., and D. B. Haidvogel, 1980: A parameter study of the mixed instability of idealized ocean currents. *Dyn. Atmos. Oceans*, **4**, 185-215.
- Howden, S. D., 2000: The three-dimensional secondary circulation in developing Gulf Stream meanders. *J. Phys. Oceanogr.*, **30**, 888-915.
- Huang, R. X., and B. Qiu, 1994: Three-dimensional structure of the wind-driven circulation in the Subtropical North Pacific. *J. Phys. Oceanogr.*, **24**, 1608-1622.
- Hufford, G. E., M. S. McCartney, and K. A. Donohue, 1997: Northern boundary currents and adjacent recirculations off southwestern Australia. *Geophys. Res. Lett.*, **24**, 2539-2540.
- Hurlburt, H. E., and P. J. Hogan, 2000: Impact of 1/8° to 1/16° resolution on Gulf Stream model-data comparisons in basin-scale subtropical Atlantic Ocean models. *Dyn. Atmos. Oceans*, **32**, 283-329.
- Hurlburt, H.E., and E. J. Metzger, 1998: Bifurcation of the Kuroshio Extension at the Shatsky Rise, *J. Geophys. Res.*, **103**, 7549-7566.
- Hurlburt, H. E., A. J. Wallcraft, W. J. Schmitz, P. J. Hogan, and E. J. Metzger, 1996: Dynamics of the Kuroshio/Oyashio current system using eddy-resolving models of the North Pacific Ocean. *J. Geophys. Res.*, **101**, 941-976.
- Hurlburt, H.E., R.C. Rhodes, C.N. Barron, and E. J. Metzger, 2000: A feasibility demonstration of ocean model eddy-resolving nowcast/forecast skill using satellite altimeter data. Naval Res. Lab. Report 7320-00-8235. 24 pp.
- Jayne, S. R., and N. G. Hogg, 1999: On recirculation forced by an unstable jet. *J. Phys. Oceanogr.*, **29**, 2711-2718.
- Johns, W. E., T. J. Shay, J. M. Bane, and D. R. Watts, 1995: Gulf Stream structure, transport, and recirculation near 68°W. *J. Geophys. Res.*, **100**, 817-838.
- Joyce, T. M., I. Yasuda, Y. Hiroe, K. Komatsu, K. Kawasaki, F. Bahr, 2001: Hydrographic structure and transport of the Oyashio south of Hokkaido and the formation of North Pacific Intermediate Water. *J. Geophys. Res.*, **106**, 6931-6942.
- Kelly, K. A., and B. Qiu, 1995: Heat flux estimates of the North Atlantic. Part II: The upper ocean heat balance. *J. Phys. Oceanogr.*, **25**, 2344-2360.
- Kitani, K., 1973: An oceanographic study of the Okhotsk Sea - particularly in regard to cold waters. *Bull. Far Seas Fish. Res. Lab.*, **9**, 45-77.
- Koblinsky, C. J., R. L. Bernstein, W. J. Schmitz, and P. P. Niiler, 1984: Estimates of the geostrophic stream function in the western North Pacific from XBT surveys. *J. Geophys. Res.*, **89**, 10,451-10,460.
- Kono, T., and Y. Kawasaki, 1997: Modification of the western subarctic water by exchange with the Okhotsk Sea. *Deep-Sea Res I*, **44**, 689-711.
- Latif, M., and T. P. Barnett, 1996: Decadal climate variability over the North Pacific and North America: Dynamics and predictability. *J. Climate*, **9**, 2407-2423.
- Lindstrom, S. S., X. Qian, and D. R. Watts, 1997: Vertical motion in the Gulf Stream and its relation to meanders. *J. Geophys. Res.*, **102**, 8485-8503.
- Lozier, M. S., L. J. Pratt, A. M. Rogerson, and P. D. Miller, 1997: Exchange geometry revealed by float trajectories in the Gulf Stream. *J. Phys. Oceanogr.*, **27**, 2327-2339.
- Luther, D. S., and the SAFDE PIs, 1997: The Sub-Antarctic Flux and Dynamics Experiment. *WOCE Notes*, **9**, 8-12.
- McClean, J.L., P-M. Poulain, J. W. Pelton, and M.E. Maltrud, 2002: Eulerian and Lagrangian Statistics from Surface Drifters and a High Resolution POP Simulation in the North Atlantic. *J. Phys. Oceanogr.*, accepted.
- Meinen, C. S., 2001: Structure of the North Atlantic current in stream-coordinates and the circulation in the Newfoundland basin. *Deep-Sea Res. I*, **48**, 1553-1580.
- Meinen, C. S., and D. R. Watts, 2000: Vertical structure and transport on a transect across the North Atlantic Current near 42°N: Timeseries and Mean. *J. Geophys. Res.*, **105**, 21,869-21,891.
- Meinen, C. S., D. S. Luther, D. R. Watts, K. L.

- Tracey, A. D. Chave, and J. R. Richman, 2002: Combining Inverted Echo Sounder and Horizontal Electric Field Recorder measurements to obtain absolute velocity profiles. *J. Atmos. Oceanic Technol.*, submitted.
- Miller, A. J., D. R. Cayan, T. P. Barnett, N. E. Graham, and J. M. Oberhuber, 1994: The 1976-77 climate shift of the Pacific Ocean. *Oceanography*, **7**, 21-26.
- Mizuno, K., and W. B. White, 1983: Annual and interannual variability in the Kuroshio Current System. *J. Phys. Oceanogr.*, **13**, 1847-1867.
- Morris, M. Y., M. M. Hall, L. C. St. Laurent, and N. G. Hogg, 2001: Abyssal mixing in the Brazil Basin. *J. Phys. Oceanogr.*, **31**, 3331-3348.
- Nakamura, H., and T. Izumi, 2002: Interannual and decadal modulations recently observed in the Pacific stormtrack activity and east Asian winter monsoon. *J. Climate*, submitted.
- Nakamura, H., G. Lin, and T. Yamagata, 1997: Decadal climate variability in the North Pacific during the recent decades. *Bull. Amer. Meteor. Soc.*, **78**, 2215-2225.
- Owens, W. B., and B. A. Warren, 2001: Deep circulation in the northwest corner of the Pacific Ocean. *Deep-Sea Res. I*, **48**, 959-993.
- Polzin, K. L., and E. Firing, 1997: Estimates of diapycnal mixing using LADCP and CTD data from I8S. *International WOCE Newsletter*, **29**, 39-42.
- Polzin, K. L., J. M. Toole, and R. W. Schmitt, 1995: Finescale parameterizations of turbulent dissipation. *J. Phys. Oceanogr.*, **25**, 306-328.
- Price, J. F., R. A. Weller, and R. Pinkel, 1986: Diurnal cycling: Observations and models of the upper ocean response to diurnal heating cooling, and wind mixing. *J. Geophys. Res.*, **91**, 8411-8427.
- Qiu, B., 1995: Variability and energetics of the Kuroshio Extension and its recirculation gyre from the first two-year TOPEX data. *J. Phys. Oceanogr.*, **25**, 1827-1842.
- Qiu, B., 2000: Interannual variability of the Kuroshio Extension system and its impact on the wintertime SST field. *J. Phys. Oceanogr.*, **30**, 1486-1502.
- Qiu, B., 2001: Kuroshio and Oyashio Currents. In: *Encyclopedia of Ocean Sciences*, J.H. Steele, K.K. Turekian, S.A. Thorpe, eds., Academic Press, pp. 1413-1425.
- Qiu, B., 2002: The Kursohio Extension System: Its large-scale variability and role in the midlatitude ocean-atmosphere interaction. *J. Oceanogr.*, **58**, 57-75.
- Qiu, B., and K. A. Kelly, 1993: Upper ocean heat balance in the Kuroshio Extension region. *J. Phys. Oceanogr.*, **23**, 2027-2041.
- Qiu, B., and W. Miao, 2000: Kuroshio Path Variations South of Japan: Bimodality as a Self-Sustained Internal Oscillation. *J. Phys. Oceanogr.*, **30**, 2124-2137.
- Richardson, P. L., 1983: Gulf Stream rings. *Eddies in Marine Science*, A. Robinson, ed., Springer-Verlag, pp. 19-45.
- Rogerson, A. M., P. D. Miller, L. J. Pratt, and C. K. R. Jones, 1999: Lagrangian Motion and Fluid Exchange in a Barotropic Meandering Jet. *J. Phys. Oceanogr.*, **29**, 2635-2655.
- Rossby, H. T., 1987: On the energetics of the Gulf Stream at 73°W. *J. Mar. Res.*, **45**, 59-82.
- Savidge, D. K., and J. M. Bane, 1999a: Cyclogenesis in the deep ocean beneath the Gulf Stream: Part I. description. *J. Geophys. Res.*, **104**, 18,111-18,126.
- Savidge, D. K., and J. M. Bane, 1999b: Cyclogenesis in the deep ocean beneath the Gulf Stream: Part II. dynamics. *J. Geophys. Res.*, **104**, 18,127-18,140.
- Schmitz, W. J., Jr., 1987: Observations of new, large scale and stable abyssal currents at midlatitudes along 165° E. *J. Phys. Oceanogr.*, **17**, 1309-1315.
- Schmitz, W. J., Jr., 1988: Exploration of the eddy field in the midlatitude North Pacific. *J. Phys. Oceanogr.*, **18**, 459-468.
- Schmitz, W. J., Jr., P. P. Niiler, R. L. Bernstein, and W. R. Holland, 1982: Recent long-term moored instrument observations in the western North Pacific. *J. Geophys. Res.*, **87**, 9425-9440.
- Shay, T. J., J. M. Bane, D. R. Watts, and K. L. Tracey, 1995: Gulf Stream flow field and events near 68°W. *J. Geophys. Res.*, **100**, 22,565-22,589.
- Song, T., and H. T. Rossby, 1995: Lagrangian studies of fluid exchange between the Gulf Stream and surrounding waters. *J. Phys. Oceanogr.*, **25**, 46-63.
- Spall, M.A., 1996: Dynamics of the Gulf Stream/deep western boundary current crossover. Part II: Low-frequency internal oscillations. *J. Phys. Oceanogr.*, **26**, 2169-2182.
- Sun, C., and D. R. Watts, 2001: A circumpolar gravest empirical mode for the Southern Ocean hydrography. *J. Geophys. Res.*, **106**, 2833-2855.
- Talley, L. D., 1991: An Okhotsk Sea water anomaly: Implications for ventilation in the North Pacific. *Deep-Sea Res.*, **38**, (Suppl.), 171-190.
- Talley, L. D., 1997: North Pacific intermediate water transports in the mixed water region. *J. Phys. Oceanogr.*, **27**, 1795-1803.
- Talley, L. D., Y. Nagata, M. Fujimura, T. Iwao, T. Kono, D. Inagake, M. Hirai, and K. Okuda,

- 1995: North Pacific Intermediate Water in the Kuroshio/Oyashio mixed water region. *J. Phys. Oceanogr.*, **25**, 475-501.
- Teague, W. J., M. J. Carron, and P. J. Hogan, 1990: A comparison between the Generalized Digital Environmental Model and Levitus climatologies. *J. Geophys. Res.*, **95**, 7167-7183.
- Teague, W. J., Z. R. Hallock, G. A. Jacobs, and J. L. Mitchell, 1995: Kuroshio sea surface height fluctuations observed simultaneously with inverted echo sounders and TOPEX/POSEIDON. *J. Geophys. Res.*, **100**, 24,987-24,994.
- Teague, W. J., Z. R. Hallock, and G. A. Jacobs, 1997: Estimation of a geoid section across the Kuroshio. *J. Atmos. Oceanic Technol.*, **14**, 326-330.
- Toole, J. M., K. W. Doherty, D. E. Frye, and S. P. Liberatore, 1999: Velocity measurements from a moored profiling instrument. *IEEE Sixth Working Conference on Current Measurement*, 144-149.
- Treguier, A. M., N. G. Hogg, M. Maltrud, K. Speer, and V. Thierry, 2002: On the origin of deep zonal flows in the Brazil Basin. *J. Phys. Oceanogr.*, submitted.
- Ueno, H., and I. Yasuda, 2001: Warm and saline water transport to the North Pacific subarctic region: World Ocean Circulation Experiment and Subarctic Gyre Experiment data analysis. *J. Geophys. Res.*, **106**, 22,131-22,141.
- Warren, B.A., 1972: Insensitivity of subtropical mode water characteristics to meteorological fluctuations. *Deep-Sea Res.*, **19**, 1-19.
- Watanabe, T., and M. Wakatsuchi, 1998: Formation of 26.8-26.9 σ_0 water in the Kuril Basin of the Sea of Okhotsk as a possible origin of North Pacific Intermediate Water. *J. Geophys. Res.*, **103**, 2849-2865.
- Watts, D. R., K. L. Tracey, J. M. Bane, and T. J. Shay, 1995: Gulf Stream path and thermocline structure near 74°W and 68°W. *J. Geophys. Res.*, **100**, 18291-18312.
- Watts, D.R., X. Qian, and Karen L. Tracey, 2001a: Mapping abyssal current and pressure fields under the meandering Gulf Stream. *J. Atmos. Oceanic Technol.*, **18**, 1052-1067.
- Watts, D. R., C. Sun, and S. R. Rintoul, 2001b: Gravest empirical modes determined from hydrographic observations in the Subantarctic Front. *J. Phys. Oceanogr.*, **31**, 2186-2209.
- Wijffels, S., M. Hall, T. Joyce, D. J. Torres, P. Hacker, and E. Firing, 1998: The multiple gyres of the western North Pacific: a WOCE section along 149°E. *J. Geophys. Res.*, **103**, 12,985-13,009.
- Willeford, B., 2001: *Using stream function coordinates to study the circulation and water masses of the North Pacific*. M.S. Thesis, Graduate School of Oceanography, University of Rhode Island, Narragansett, 193 pp.
- Wong, A.P.S., G.C. Johnson and W.B. Owens, 2002: Delayed-mode calibration of autonomous CTD profiling float salinity data by theta-S climatology. *J. Atmos. Oceanic Technol.*, submitted.
- Wunsch, C., 1999: Where do ocean eddy heat fluxes matter? *J. Geophys. Res.*, **104**, 13,235-13,249.
- Wyrtki, K., L. Magaard, and J. Hagar, 1976: Eddy energy in the oceans. *J. Geophys. Res.*, **81**, 2631-2646.
- Xie, P., and P. Arkin, 1997: Global Precipitation: A 17-year monthly analysis based on gauge observations, satellite estimates, and numerical model outputs. *Bull. Amer. Meteor. Soc.*, **78**, 2539-2558.
- Yasuda, I., K. Okuda, and Y. Shimizu, 1996: Distribution and modification of North Pacific Intermediate Water in the Kuroshio/Oyashio inter-frontal zone. *J. Phys. Oceanogr.*, **26**, 448-465.
- Yasuda, I., 1997: The origin of the North Pacific Intermediate Water. *J. Geophys. Res.*, **102**, 893-909.
- Zenk, W., G. Siedler, B. Lenz, N. G. Hogg, 1999: Antarctic Bottom Water Flow through the Hunter Channel. *J. Phys. Oceanogr.*, **29**, 2785-2801.